

SN-586C



1/3" HIGH RESOLUTION, SUPER WIDE DYNAMIC RANGE, COLOUR/ MONO CAMERA

- >>>> 1/3" DPS (Digital Pixel System) Wide Dynamic Sensor
- >>>> Super wide dynamic range using PIXIM technology
- >>>> Ultra Low light capabilities down to 0.08 Lux @ F1.2
- >>>> Video/ Direct drive lens compatible
- >>>> AGC/ AES/ BLC/ AWB/ OSD/ Mirror function
- >>>> 24Vac



Model Number	SN-586C
Image Sensor Device	1/3" DPS (Digital Pixel System)
Total pixels	PAL : 720 x 540
Dynamic Range	95dB Typical, 120dB maximum
H. Sync. Frequency	PAL/ CCIR : 15.625 KHz
V. Sync. Frequency	PAL/ CCIR : 50KHz
Synchronisation System	DC : Internal/ AC : Line Lock (option)
Horizontal Resolution	480TVL
Back Light Compensation (BLC)	Yes
Electronic Shutter (ES)	Switch On/ Off PAL : 1/50 ~ 1/100,000 sec
Auto Gain Control (GC)	Yes
Day/ Night function	Switch On/ Off
Gamma Correction	0.45
S/N Ratio	More than 48dB (AGC off)
Video Output	1.0Vpp, 75 Ohms
Minimum Illumination	0.08 Lux @ F1.2
White Balance	Auto
Lens Standard	CS/ C Mount (Accept DC/ Video drive lens)
Operating Temperature	-10°C ~ +50°C
Storage Temperature	-30°C ~ +60 °C
Power Requirement	AC24V (+/- 10%), 4.5W (Max)
Power Consumption	230Vac +/- 10
Dimension	121(d) x 62(w)x 60(h) mm
Weight	500g